



***baja designs***®  
THE SCIENTISTS OF LIGHTING

## 64-0116, RTL Wiring Harness Directions



185 Bosstick Boulevard • San Marcos • CA • 92069

Phone 760-560-2252 x3 • Fax 760-560-0383

info@bajadesigns.com • [www.bajadesigns.com](http://www.bajadesigns.com)



***baja designs***<sup>®</sup>  
THE SCIENTISTS OF LIGHTING

## LIMITED LIFETIME WARRANTY

Baja Designs proudly offers a LIFETIME WARRANTY against manufacturer's defect on all the products that we manufacture.

These are comprehensive warranties; other than the exclusions below – you're covered. If your LED or HID bulb burns out, you're covered. Additionally, cutting off our connector or changing your lenses does not automatically void your warranty.

### **Exclusions:**

Installation errors, abuse, misuse or crash damage. You must be the original owner of the product and can supply proof of purchase.

Baja Designs manufactures its own products as well as resells products manufactured by others. Baja Designs makes no express or implied warranties on products not manufactured by Baja Designs including without limitation any warranties or merchantability and fitness for a purpose. We will, however, pass on all warranties made by the manufacturer, who has sole responsibility for performing such warranties.

Baja Designs will pay the freight if your product is less than 90 days old, otherwise defective products must be returned to Baja Designs, Inc., freight prepaid. At our option, we will repair or replace items in question and return them at no charge. If the identical product is no longer available, we will replace with a similar product of equal value. Baja Designs Inc. will not be responsible for any indirect or consequential damages in connection with defective merchandise.

Items purchased through a Baja Designs authorized dealer must be returned through the dealer. Only available on LED auxiliary lights and product must be in sellable condition at MSRP. Product that has been damaged in any way after the original purchase date will be excluded from this guarantee.


### **Indemnification:**

**Buyer hereby acknowledges off-roading, racing and driving at night are dangerous activities and that the products and/or supplies purchased from Baja Designs are used in an inherently dangerous activity that may endanger life and limb; and in no event shall the seller, or seller's heirs and assigns, be held liable for consequential damages, nor shall seller's liability on any claim for damages arising out of or connected with the sale, delivery, or use of purchased products and/or supplies exceed the purchase price of the products and/or supplies**

## RTL Harness Instructions

### Tools Required

- Pliers
- 10mm or 1/2" Socket Wrench (battery hardware)
- 3/4" Drill or step drill bit
- Multimeter, or circuit tester.



1. To begin, make sure the vehicle is in park. Have an assistant turn the ignition on. Probe the taillight wires to determine which wires are for the daytime running lights. Now, have the assistant press the brake pedal and probe the wires to determine the brake wire. Turn the vehicle off.
2. Remove the ground (+, black) battery lead and then the positive battery lead (+, red) on the vehicle.
3. Using the pliers, clasp the splice connectors of the taillight leads over each respective wire.
4. Route and connect the RTL leads.
5. Route the reverse switch lead to desired mounting location. Drill 3/4" hole. Snap a quick photo of the wires on the back of the switch, remove the wires, route them through the hole and reattach to the switch. Now the switch can be pressed into the panel hole.
6. Attach the positive (+, red) battery lead and reattach vehicle's positive battery lead. Attach the negative (-, black) battery lead and reattach vehicle's ground battery lead.

**Re-torque all the fasteners after 100 miles.**

**Your install is now complete! Thank you for choosing  
Baja Designs.**