



Description:

SB Baja Design's latest LED light bar comes with a few new perks! Enjoy the clean aluminum frame with 6,328 lumens of pure power, low amp draw of 4.06 amps, and nearly 50,000 hours of LED life. The S8 also features upgraded reflectors, an amber backlit feature, and new scalloped housing design. The S8 is backed by our 30 Day Satisfaction Guarantee and Limited Lifetime Warranty giving you the ultimate in purchase protection!



Specifications:

Lumens: 6,328 Utilizing 8 LEDs Weight: 2.4 lbs per 10" Section Wattage/Amps: 56W / 4.06A Dimensions: 10" x 3" x 1.6" LED Life Expectancy: 49,930 Hours Front Lens: Hard Coated Polycarbonate Housing: Extruded Aluminum, Anodized, Laser Etched Hardware & Bracket Material: Stainless Steel Exceeds MIL-STD810G (Mil-Spec Testing)

Built-In Overvoltage Protection and Backlit Feature

Baja Designs Features:

Satisfaction Guaranteed - 30 Day Money Back Guarantee

Limited Lifetime Warranty - Complete Purchase Protection

uService R - Replaceable Lenses And Optics ClearView R - All The Light, Right Where You Need It MoistureBlock™ -Waterproof, Rain Proof, Submersible

CopperDrive - Only LED Driven At 100% 5000K Daylight - Less Driver Fatigue, Natural Colo





 Baja Designs Features:

 Satisfactions Guarantee – 30 Day Money Back

 Guarantee

 Limited Lifetime Warranty – Complete

 Purchase Protection

 uService ■ – Replaceable Lenses And Optics

 Clear View ■ – All The Light, Right Where You

 Need It.

 MoistureBlock™ – Waterproof, Rain Proof,

 Submersible

 CopperDrive ■ – Only LED Driven At 100%

 SODOK Daylight – Less Driver Fatigue, Natural




Part Number	Description	Size	Lumens	Amps/Watts
701001	S8, 10" Spot LED Light Bar	10" x 3" x 1.6"	6,328	56W / 4.06A
701003	S8, 10" Driving/Combo LED Light Bar	10" x 3" x 1.6"	6,328	56W / 4.06A
701004	S8, 10" Wide Driving LED Light Bar	10" x 3" x 1.6"	6,328	56W / 4.06A
701006	S8, 10" Work/Scene LED Light Bar	10" x 3" x 1.6"	6,328	56W / 4.06A
701013	S8, 10" Driving/Combo Amber,LED Light Bar	10" x 3" x 1.6"	6,328	56W / 4.06A
701014	S8, 10" Wide Driving Amber,LED Light Bar	10" x 3" x 1.6"	6,328	56W / 4.06A
702001	S8, 20" Spot LED Light Bar	20″ x 3″ x 1.6″	12,656	112W / 8.12A
702003	S8, 20" Driving/Combo LED Light Bar	20″ x 3″ x 1.6″	12,656	112W / 8.12A
702004	S8, 20" Wide Driving LED Light Bar	20″ x 3″ x 1.6″	12,656	112W / 8.12A
702006	S8, 20'' Work/Scene LED Light Bar	20″ x 3″ x 1.6″	12,656	112W / 8.12A
702013	S8, 20" Driving/Combo Amber,LED Light Bar	20″ x 3″ x 1.6″	12,656	112W / 8.12A
702014	S8, 20" Wide Driving Amber,LED Light Bar	20" x 3" x 1.6"	12,656	112W / 8.12A
703001	S8, 30" Spot, LED Light Bar	30″ x 3″ x 1.6″	18,984	168W / 12.17A
703003	S8, 30" Driving/Combo, LED Light Bar	30" x 3" x 1.6"	18,984	168W / 12.17A



703004	S8, 30" Wide Driving, LED Light Bar	30″ x 3″ x 1.6″	18,984	168W / 12.17A
703006	S8, 30" Work/Scene LED Light Bar	30″ x 3″ x 1.6″	18,984	168W / 12.17A
703013	S8, 30" Driving/Combo Amber, LED Light Bar	30″ x 3″ x 1.6″	18,984	168W / 12.17A
703014	S8, 30" Wide Driving Amber, LED Light Bar	30" x 3" x 1.6"	18,984	168W / 12.17A
704001	S8, 40" Spot LED Light Bar	40″ x 3″ x 1.6″	25,312	224W / 16.23A
704003	S8, 40" Driving/Combo LED Light Bar	40″ x 3″ x 1.6″	25,312	224W / 16.23A
704004	S8, 40" Wide Driving LED Light Bar	40" x 3" x 1.6"	25,312	224W / 16.23A
704006	S8, 40" Work/Scene LED Light Bar	40″ x 3″ x 1.6″	25,312	224W / 16.23A
704013	S8, 40" Driving/Combo Amber,LED Light Bar	40″ x 3″ x 1.6″	25,312	224W / 16.23A
704014	S8, 40" Wide Driving Amber,LED Light Bar	40″ x 3″ x 1.6″	25,312	224W / 16.23A
705001	S8, 50" Spot LED Light Bar	50″ x 3″ x 1.6″	31,640	280W / 20.29A
705003	S8, 50" Driving Combo LED Light Bar	50" x 3" x 1.6"	31,640	280W / 20.29A
705004	S8, 50" Wide Driving LED Light Bar	50" x 3" x 1.6"	31,640	280W / 20.29A
705006	S8, 50" Work/Scene LED Light Bar	50" x 3" x 1.6"	31,640	280W / 20.29A
705013	S8, 50" Driving/Combo Amber,LED Light Bar	50" x 3" x 1.6"	31,640	280W / 20.29A
705014	S8, 50" Wide Driving Amber,LED Light Bar	50" x 3" x 1.6"	31,640	280W / 20.29A



S8 LED Light Bar Mounting




Baja Designs OnX6 Laser and S8 Wiring

The all new OnX6 Hybrid Laser has the middle laser section requires power to pin C which can be tied directly in with pin B if you want the entire light controlled on one switch or you can control the laser section independently on its own second on/off switch.

All S8 Light bars feature off/on and a unique backlit feature. To operate the backlit feature a second off/on switch will be required to provide positive power to Pin C. If you do not need this feature, then a single standard on/off switch is all that is needed.

Connector Wiring (WeatherPak 3 Pin Connector)



When using the optional second switch, depressing the switch will turn on the Laser section/backlit feature. Depressing the switch again will turn the backlit light off.

Moisture Block: The Moisture Block functions exactly as it sounds, completely blocking moisture or water from climbing its way up the cord into your LED light.

Cutting past the Moisture Block will **VOID YOUR WARRANTY**.